



PRODUCT-DETAILS

03700300

600A 1H AL COMPR LUG 350 STR 400SOL



General Information	
Extended Product Type:	03700300
Product ID:	7TAA122010R0016
EAN:	5415022501957
Catalog Description:	600A 1H AL COMPR LUG 350 STR 400SOL
Long Description:	15/25/35kV 600 Amp Series Deadbreak Compression Lug (Tin-Plated Aluminum). Conductor Size kcmil Compressed/Stranded 350 or Compacted/Solid 400 /mmSquared Compact 185. Length 5.94 inches. Diameter 1.38 Inches. 1-Hole Pad, .50 inch Thick. Hole Size .688 inch Diameter.
Display Name:	03700300

Eco Transparency	
Environmental Product Declaration - EPD: 9AKK108472A0599	

Ordering	
EAN:	5415022501957

UPC: 783786632060

Country of Origin: United States

Selling Unit of Measure: each

Container Information

Package Level 1 Units: 1 EA

Package Level 1 Width: 50.8 mm
2 in

Package Level 1 Height: 25.4 mm
1 in

Package Level 1 Depth / Length: 101.6 mm
4 in

Package Level 2 Units: 1 EA

Package Level 2 Width: 50.8 mm
2 in

Package Level 2 Height: 25.4 mm
1 in

Package Level 2 Depth / Length: 101.6 mm
4 in

Additional Information

Application: Used with 15/25/35kV 600 Amp Deadbreak Elbow and Splice products.

Brand / Label: Elastimold

Cable Size: 350 kcmil
400 kcmil

Color: Silver

Connection Type: Compression

Current Rating: 600 A

Effective Date: 19980115

Insulation Material: None

Material: Aluminum

Product Name: Terminals, electrical splices and electrical couplings

Product Type: Compression Lug

Size: Length 5.94 inch, Diameter 1.38 inch, Hole .688 inch Diameter.

Special Functions: Tin Plated Aluminum. Hole Size .688 inch. Connectors can be used with both Copper and Aluminum Conductors.

Voltage Rating: 15 to 35 kV

Certificates and Declarations

Data Sheet, Technical Information: 3700300

Instructions and Manuals: 3700300

External Classifications and Standards	
ETIM 7:	EC001053 - Crimp cable lug for aluminium conductors
ETIM 8:	EC001053 - Crimp cable lug for aluminium conductors
ETIM 9:	EC001053 - Crimp cable lug for aluminium conductors
ETIM 10:	EC001053 - Crimp cable lug for aluminium conductors
UNSPSC:	39121405
IDEA Granular Category Code (IGCC):	4532 >> Cable or wire lug

Material Compliance	
RoHS Information:	No declaration needed
REACH Information:	False - does not contain substances > 0.1 mass percentage
WEEE Category:	Product Not in WEEE Scope

Categories
Products > Low Voltage Products and Systems > Installation Products > Cable Accessories and Apparatus > Cable Accessories > Elastimold 600A Separable Connectors

