



PRODUCT-DETAILS

655CA-N

15/25KV 600A CABLE ADAPT 1.55-1.78



General Information	
Extended Product Type:	655CA-N
Product ID:	7TAA122060R0027
EAN:	5415022541434
Catalog Description:	15/25KV 600A CABLE ADAPT 1.55-1.78
Long Description:	15/25kV, 600 Amps, Deadbreak Cable Size Adapter. Cable Insulation Diameter 1.550 inch to 1.780 inch. Length 6.44 inch, Diameter 2.14 inch.
Display Name:	655CA-N

Eco Transparency	
Environmental Product Declaration - EPD: 9AKK108471A3905	

Ordering	
EAN:	5415022541434
UPC:	783786621163

Country of Origin:	United States
Selling Unit of Measure:	each

Container Information

Package Level 1 Units:	1 EA
Package Level 1 Width:	228.6 mm 9 in
Package Level 1 Height:	190.5 mm 7.5 in
Package Level 1 Depth / Length:	228.6 mm 9 in
Package Level 2 Units:	50 EA
Package Level 2 Width:	234.95 mm 9.25 in
Package Level 2 Height:	285.75 mm 11.25 in
Package Level 2 Depth / Length:	355.6 mm 14 in

Additional Information

Application:	15/25kV 600 Amps Deadbreak Interface between Cable and Elastimold Accessories and provide Electrical Stress Relief
Brand / Label:	Elastimold
Connection Type:	Slide-On
Effective Date:	19980115
Material:	EPDM Rubber
Product Name:	Terminals, electrical splices and electrical couplings
Product Type:	Cable Size Adapter
Size:	Length 6.44 inch, Diameter 2.14 inch
Special Functions:	Fits Cable Insulation Diameter 1.550 inch to 1.780 inch.
Standards:	ANSI/IEEE Standard 386
Temperature Range:	-40 to +65 °C

External Classifications and Standards

UNSPSC:	26121630
IDEA Granular Category Code (IGCC):	1779 >> Cable accessories

Material Compliance

RoHS Information:	No declaration needed
REACH Information:	False - does not contain substances > 0.1 mass percentage

WEEE Category:

Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Accessories and Apparatus > Cable Accessories > Elastimold 600A Separable Connectors

