



PRODUCT-DETAILS

LTC100-TB

1IN LT TYPE B COND PVC BLK



General Information	
Extended Product Type:	LTC100-TB
Product ID:	7TAD012610R0010
EAN:	5414363134879
Catalog Description:	1IN LT TYPE B COND PVC BLK
Long Description:	Industrial Grade, Type B Liquidtight Flexible PVC Conduit, 1 Inch Conduit Size, Approved for Outdoor and Direct Burial in the US, UL Temperature Ratings - 105 Degrees C Dry, 60 Degree C Wet, 70 Degree C Oil, CSA Temperature Rating 18 to 75 Degrees C, Oil Resistant, Voltage Rating 600V, Black with Orange Markings
Display Name:	LTC100-TB

Eco Transparency	
Environmental Product Declaration - EPD: 9AKK108471A3873	

Additional Information	
Application:	Machine Tools, Motor Hookups, Food Processing Equipment, Extensions from Wire Ways, and Sensor and Micro Switch Wiring Found In Control Consoles.

Product Type: Liquidtight Flexible Non-Metallic Conduit

Ordering

EAN: 5414363134879

UPC: 786210789569

Dimensions

Product Net Depth / Length: 30.5 m

Outside Diameter: 33.4 mm

Technical

Number of Batteries: 0

Color: Black

Material: PVC

Voltage Rating: 600 V

Environmental

WEEE Category: Product Not in WEEE Scope

RoHS Information: Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units: 100 ft

Package Level 1 Height: 215.9 mm
8.5 in

Package Level 1 Depth / Length: 622.3 mm
24.5 in

Package Level 1 Width: 615.95 mm
24.25 in

Certificates and Declarations

Data Sheet, Technical Information: TDS000138

External Classifications and Standards

ETIM 8: EC001177 - Protective plastic hose

ETIM 9: EC001177 - Protective plastic hose

UNSPSC:39131706

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Liquidtight Fittings > T&B Liquidtight

