

PRODUCT-DETAILS

2535

3/4 IN CORD CONN .625-.750 RANG



General Information	
Extended Product Type:	2535
Product ID:	7TBD105230R0004
EAN:	5414363139386
Catalog Description:	3/4 IN CORD CONN .625-.750 RANG
Long Description:	Liquidtight Strain Relief Cord Connector, 3/4 Inch, Straight, Cord Range 0.625 to 0.750 Inch, Die Cast Zinc
Display Name:	2535

PANKAJ ELECTRICALS EcoSolutions	
PANKAJ ELECTRICALS EcoSolutions:	Yes

Eco Transparency	
Environmental Product Declaration - EPD:	
ABBG-00965-V01.01-EN	
Life Cycle Assessment:	ABBG-00965-V01.01-EN

Additional Information

Application:	Suitable for Use In Hazardous Locations Where General Purpose Equipment is Specifically Permitted by NEC 501-4(B).
Product Type:	Strain Relief Cord Connectors-Straight

Ordering

EAN:	5414363139386
UPC:	786210025353

Technical

Number of Batteries:	0
Color:	Metallic
Material:	Zinc Die Cast
Size:	3/4 Inch

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	25 EA
Package Level 1 Height:	110.236 mm 4.34 in
Package Level 1 Depth / Length:	156.972 mm 6.18 in
Package Level 1 Width:	133.096 mm 5.24 in

Certificates and Declarations

Data Sheet, Technical Information:	TDS000046
------------------------------------	-----------

External Classifications and Standards

ETIM 8:	EC000441 - Cable gland
ETIM 9:	EC000441 - Cable gland

UNSPSC:

39121431

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > T&B Cord and Cable Fittings

