PANKAJ ELECTRICALS
EXPERIENCE THE DIFFERENCE

PRODUCT-DETAILS

TPS401232

401232 BLACK T PIECE

General Information

Extended Product Type:	TPS401232
Product ID:	7TCA298010R1010
EAN:	5020963800207
Catalog Description:	401232 BLACK T PIECE
Long Description:	Non-Hinged Conduit Joiner, T-Shape, Conduit Size A: NC40/NW36, Size B: NC12/NW10, Size C: NC32/NW29, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black
Display Name:	TPS401232

Additional Information

Product Main Type:	HARNESSFLEX FLEXIBLE CABLE PROTECTION
Application:	Designed to Snap Together Over All Types of Slit and Unslit Conduit, Maintaining Maximum Conduit Bore

Ordering

© 2026 PANKAJ ELECTRICALS. All rights reserved. 2026/07/06 Subject to change without notice

EAN:	5020963800207
UPC:	786210313122

Technical

Number of Batteries:	0
Color:	Black
Material:	Polyamide/Nylon
Size:	Non-Conduit Sizes A: NC40/NW36, B: NC12/NW10, C: NC32/NW29

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	50 piece
Package Level 1 EAN:	5020963800207
Package Level 1 Height:	15 in 381 mm
Package Level 1 Depth / Length:	13 in 330 mm
Package Level 1 Width:	14 in 356 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9616
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC001172 - Coupler for corrugated plastic hoses
ETIM 9:	EC001172 - Coupler for corrugated plastic hoses
UNSPSC:	39131717

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Harnessflex Flexible Cable Protection

© 2026 PANKAJ ELECTRICALS. All rights reserved. 2026/07/06 Subject to change without notice

© 2026 PANKAJ ELECTRICALS. All rights reserved. 2026/07/06 Subject to change without notice